
# SF354 SF354 MICROFLOPPY DISK DRIVE SINGLE-SIDED, DOUBLE-DENSITY



For Use With All ATARI ST™ Computers

### **ALATARI**

Atari Corp., Sunnyvale, CA 94086 © 1985 Atari Corp. All Rights Reserved.

PRINTED IN JAPAN ved. C026052-001 REV. A

Warning: The SF354 Disk Drive has been type tested and found to comply with the limits for a Class B computing device in accordance with the specifications in Subpart J of Part 15 of the FCC rules. These rules are designed to provide reasonable protection against interference with your radio and television reception when the equipment is used in a residential setting. However, there is no guarantee that interference will not occur in a particular home or residence.

#### Please Note:

Every effort has been made to ensure the accuracy of the product documentation in this manual. However, because Atari Corp. is constantly improving and updating its computer hardware and software, we are unable to guarantee the accuracy of printed material after the date of publication and disclaim liability for changes, errors, or omissions.

Reproduction of this document or any portion of its contents is not allowed without the specific written consent of Atari Corp.

ATARI, ST, and SF354 are trademarks or registered trademarks of Atari Corp.



# **Table of Contents**

_	_	m	4	Ľ	נט	Θ	
•	•	\d	•	•	•	•	•
•	•	· ·	•	•	•	•	•
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
•	•	·	•	•	•	•	•
•	•	·	•	•	•	•	•
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
•	•	•	•	•	•	S	a
•	•	•	•	•	•		Ũ
•	•	•	•	•	•	0	
•	•	•	•	•	•	Ξ	ىو
•	•	•	•	•	•	Ö	7
•	•	•	•	•	•	O	يپ
•	•		•	•	•	二	7
Ø	Ś	·	•	•	•	:5	ٽ
.≥	ë	•	•	•	•	ũ	
Ţ	ล	43	•	•	•	ے	
Δ	-Ξ	*	•	•	•	Ŝ	
	ਹ	Ė	•	•	ىپ	4)	0
<del>**</del>	Ĭ	$\overline{A}$	•	•	$\succeq$	ě	:2
۳.	Ξ.	_	g	_	$\simeq$	-	÷
Δ	;;	வ	Ē	<b>1</b>	$\succ$	Ξ.	2
_	2	Ę	·≡	ā	=	$\Box$	<u> </u>
>	1	-	7	£	ヹ	~	ש,
ă	<b>L</b>	ರಾ	ō	Ϋ́	U)	S	
Ď	ž	$\Box$	ĕ	C)	<u></u>	:=	T
0	Ξ.	₽	72	ק	<u>ല</u>	$\Box$	Č
T.	7	Ü	نة	$\Box$	Ξ	<b>+</b>	Ö
$\overline{}$	$\mathbf{c}$	ല	$\overline{\mathbf{z}}$	a	ਨ	.2	
$\succeq$	Ø	⊑	Ή	<b>d)</b>	7	<u>u</u> ,	.=
O	Δ.	Ž	$\preceq$	Ξ	S	സ്ര	ק
=	<u></u>	O	_2	تص	্⊐	Ľ,	Q
2	J	$\mathcal{O}$		$\mathcal{O}$	$\mathcal{O}$	ဟ	Radio and Television Interference
		_	-	_	_	-	
	MicroFloppy Disk Drive	MicroFloppy Disk Drive	MicroFloppy Disk Drive	MicroFloppy Disk Drive	Drive tions ive .	Drive tions ive .	Drive tions ive .

#### Meet the ATARI SF354 MicroFloppy Disk Drive

Your new SF354 MicroFloppy Disk Drive supports your ATARI ST Computer with state-of-the-art, high-speed storage capability. Its tastefully designed housing encases a sophisticated microfloppy disk drive system. The SF354 is a single-sided, double-density drive providing up to 360 kilobytes (formatted) of storage on each 3 1/2-inch disk. Yet the drive itself takes up no more deskspace than a small book.

This manual tells you how to unpack the drive and attach it to your ATARI ST Computer. A Troubleshooting guide, Care and Safety chart, and the specifications for the SF354 are also provided. For more detailed information on attaching the drive to your system and how to insert, write-protect, and care for your disks, see your ATARI ST Owner's Manual that came with your ATARI ST ST Owner's Manual that came with your ATARI

# Unpacking Instructions

- 1. Carefully remove the disk drive from the package.
- 2. Place the drive on a firm, level surface and remove the packing materials.
- Packed along with your SF354 Disk Drive you should find a power adapter, an interface cable, a warranty card, and this owner's manual. Before going on, make sure you have received these items.

**Note:** Save all packing materials for use in storing and transporting your drive.

#### က

## Connecting the Drive


Connecting and operating your new disk drive is not difficult, but you should take care to use it correctly and safely. Please read the section, "Care and Safety," before connecting the drive to your computer system.

Choose the right working environment for your disk drive. Avoid places that would expose the components to dust, grease, extreme temperatures, or high humidity.

To connect the drive to your computer system, follow these steps:

- 1. Switch off all components of your ATARI ST Computer system.
- 2. Plug one end of the interface cable supplied with your disk drive into the I/O Connector marked In on the back panel of the disk drive. Plug the other end of the cable into the connector marked Floppy Disk on the back of your ST Computer.
- Plug the power adapter's plug into the jack marked Power on the back panel of the drive. Make sure the drive is switched off, then plug the adapter's electrical plug into a wall outlet or power strip.

**Note:** When formatting a disk with your ATARI ST Computer and the SF354 Disk Drive, be sure to choose the single-sided formatting option.



Warning: When setting up your computer system, place your disk drive at least 12 inches away from your monitor. Monitors emit a magnetic field that can damage information recorded on disks.

#### S

### **Troubleshooting**

reliable high performance. But as with any electrical appliance, at times things can go wrong. If you experience problems that Your SF354 Disk Drive has been designed to provide years of you think may be serious, take your drive to an authorized ATARI Service Center. These are some typical drive problems, and the steps you should take to resolve them:

Solution	
Problem	

busy light will not go on. Drive won't respond;

Power is not switched on.

Switch on the power.

check both the drive and outlet con-(2) Power adapter is not connected properly. Switch the power off, and

nections.

properly to your drive or computer. (3) Interface cable is not attached

Check the connections.

makes a metallic sound Busy light is illuminated but won't go off; drive continues to whir, and

The SF354 doesn't contain any user-serviceable parts. If you remove the housing to modify the drive you will void your Disk is inserted incorrectly. Reinsert the disk.

warranty

### Care and Safety

You need do little to keep your SF354 Disk Drive in perfect operating condition. To ensure the full performance and safe operation of your drive, follow these simple guidelines:

- monitor. Do not place your telephone on top of the drive. Keep the drive at least twelve inches away from your
- to extreme temperatures or high humidity. Place it away from windows, heaters, stoves, fireplaces, and other sources of Keep the drive out of direct sunlight, and do not expose it heat and moisture.
- Set the drive squarely on a firm, level surface.
- housing with a soft, clean, slightly damp, lint-free cloth. Do not use spray cleaners as their spray may accidentally get Keep the drive dust- and grease-free. Clean the drive into the drive opening.
- Always grasp the solid plastic plug, not the cord itself when plugging in or unplugging the drive.

## **Customer Support**

Atari Corp. welcomes any questions you might have about your SF354 Disk Drive or about any other ATARI Computer product.

Write to:

Atari Customer Relations Sunnyvale, CA 94088 PO. Box 61657

Please write the subject of your letter on the outside of the envelope Or contact your local Atari User Group. They are an excellent source of information on how to get the most from your ATARI Computer. To receive a list of User Groups in your area, send a self-addressed stamped envelope to:

Sunnyvale, CA 94088 Atari User Group List P.O. Box 61657

4

# SF354 Disk Drive Specifications

Power Supply:

 $+ 12V \pm 5\%$  @ 60mA (standing; typical)

@ 300mA (read/write; typical)

@ 850mA (maximum)

 $+5V \pm 5\%$  @ 340mA

@ 380mA (read/write; typical) @ 500mA (maximum) (standing; typical)

Power Consumption:

2.4W (standing; typical)

5.5W (read/write; typical)

13.3W (maximum)

135 tracks per inch Track Density:

Tracks per Disk:

80

360 kilobytes per disk Storage Capacity:

(formatted; MFM)

3 1/2-inch microfloppy disks Single-sided, double-density 135 tracks per inch

Storage Medium:

Head Positioning

Mechanism:

Step motor

250 kilobits per second Data Transfer Speed:

Overall Dimensions:

 $5.6 \times 2.4 \times 9.4$  inches (142 × 62 × 239 mm)

2.3 pounds (1,050g)

Weight:

41 to 113 F(5 to 45 C) operating or idle Ambient Temperature:

-4 F to 149 F (-20 to 65 C) storage -40 to 149 F (-40 to 65 C) transport

20 to 80 (operating or idle) up to 95% (storage or transport)

Relative Humidity

(Noncondensing):

# Radio and Television Interference

this manual, the equipment may cause interference with your radio and television Like any electrical appliance, this ATARI Computer equipment uses and produces radio-frequency energy. If not installed and used according to the instructions in reception.

protection against such interference when the equipment is used in a residential for a Class B computing device in accordance with the specifications in Subpart The SF354 Disk Drive has been type tested and found to comply with the limits J of Part 15 of the FCC rules. These rules are designed to provide reasonable setting. However, there is no guarantee that interference will not occur in a particular home or residence. If you believe that this equipment is causing interference with your radio or television reception, try turning the equipment off and on. If the interference problem stops when the equipment is turned off, then the equipment is probably causing the interference. With the equipment turned on, you may be able to correct the problem by trying one or more of the following measures:

Adjust the position of the radio or television antenna.

Reposition the equipment in relation to the radio or television set.

Move the equipment away from the radio or television set.

Plug the equipment into a different wall outlet so that the equipment and the radio or television set are connected to different branch circuits.

If necessary, consult your ATARI Computer retailer or an experienced radiotelevision technician for additional suggestions. A resource that you may find helpful is a booklet prepared by the Federal Communications Commission: How to Identify and Resolve Radio-TV Interference Problems, This booklet is available from the U.S. Government Printing Office, Washington, DC 20402, Stock No. 004-000-00345-4.